# Your Child at 18 Months

Child's Name Child's Age Today's Date

How your child plays, learns, speaks, acts and moves offers important clues about your child's development. Developmental milestones are the things most children can do by a certain age.

Check the milestones your child has reached by the end of 18 months. Take this with you and talk with your child's doctor at every visit about the milestones your child has reached and what to expect next.

### **What Most Children Do at This Age:**

#### **Social/Emotional**

- ☐ Likes to hand things to others as play
- May have temper tantrums
- May be afraid of strangers
- ☐ Shows affection to familiar people
- ☐ Plays simple pretend, such as feeding a doll
- ☐ May cling to caregivers in new situations
- ☐ Points to show others something interesting
- ☐ Explores alone but with parent close by

#### **Language/Communication**

- ☐ Says several single words
- ☐ Savs and shakes head "no"
- ☐ Points to show someone what he wants

#### **Cognitive (learning, thinking, problem-solving)**

- ☐ Knows what ordinary things are for; for example, telephone, brush, spoon
- ☐ Points to get the attention of others
- ☐ Shows interest in a doll or stuffed animal by pretending to feed
- ☐ Points to one body part
- Scribbles on his own
- ☐ Can follow 1-step verbal commands without any gestures; for example, sits when you say "sit down"

#### **Movement/Physical Development**

- Walks alone
- ☐ May walk up steps and run
- ☐ Pulls toys while walking
- ☐ Can help undress herself
- ☐ Drinks from a cup
- Eats with a spoon

# Act Early by Talking to Your Child's Doctor if Your Child:

- □ Doesn't point to show things to others
- ☐ Can't walk
- ☐ Doesn't know what familiar things are for
- Doesn't copy others
- ☐ Doesn't gain new words
- □ Doesn't have at least 6 words
- ☐ Doesn't notice or mind when a caregiver leaves or returns
- ☐ Loses skills he once had

Tell your child's doctor or nurse if you notice any of these signs of possible developmental delay for this age, and talk with someone in your community who is familiar with services for young children in your area, such as your state's public early intervention program. For more information, go to www.cdc.gov/concerned or call 1-800-CDC-INFO (1-800-232-4636).

The American Academy of Pediatrics recommends that children be screened for general development and autism at the 18-month visit. Ask your child's doctor about your child's developmental screening.

Adapted from CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5, Fifth Edition, edited by Steven Shelov and Tanya Remer Altmann © 1991, 1993, 1998, 2004, 2009 by the American Academy of Pediatrics and BRIGHT FUTURES: GUIDELINES FOR HEALTH SUPERVISION OF INFANTS, CHILDREN, AND ADOLESCENTS, Third Edition, edited by Joseph Hagan, Jr., Judith S. Shaw, and Paula M. Duncan, 2008, Elk Grove Village, IL: American Academy of Pediatrics. This milestone checklist is not a substitute for a standardized, validated developmental screening tool.

www.cdc.gov/ActEarly | 1-800-CDC-INFO (1-800-232-4636)

## **Help Your Child Learn and Grow**



You can help your child learn and grow. Talk, read, sing and play together every day. Below are some activities to enjoy with your 18-month-old child today.

### What You Can Do for Your 18-Month-Old:

- ☐ Provide a safe, loving environment. It's important to be consistent and predictable.
- ☐ Praise good behaviors more than you punish bad behaviors (use only very brief timeouts).
- ☐ Describe her emotions. For example, say, "You are happy when we read this book."
- ☐ Encourage pretend play.
- ☐ Encourage empathy. For example, when he sees a child who is sad, encourage him to hug or pat the other child.
- ☐ Read books and talk about the pictures using simple words.
- ☐ Copy your child's words.
- ☐ Use words that describe feelings and emotions.
- ☐ Use simple, clear phrases.

- ☐ Ask simple questions.
- ☐ Hide things under blankets and pillows and encourage him to find them.
- ☐ Play with blocks, balls, puzzles, books and toys that teach cause and effect and problem-solving.
- ☐ Name pictures in books and body parts.
- ☐ Provide toys that encourage pretend play; for example, dolls, play telephones.
- ☐ Provide safe areas for your child to walk and move around in.
- ☐ Provide toys that she can push or pull safely.
- ☐ Provide balls for her to kick, roll and throw.
- ☐ Encourage him to drink from his cup and use a spoon, no matter how messy.
- Blow bubbles and let your child pop them.

www.cdc.gov/ActEarly | 1-800-CDC-INFO (1-800-232-4636)